

Local Coverage Determination (LCD): MoIDX: NSCLC, Comprehensive Genomic Profile Testing (L36803)

Links in PDF documents are not guaranteed to work. To follow a web link, please use the MCD Website.

Contractor Information

Contractor Name	Contract Type	Contract Number	Jurisdiction	State(s)
Wisconsin Physicians Service Insurance Corporation	MAC - Part A	05101 - MAC A	J - 05	Iowa
Wisconsin Physicians Service Insurance Corporation	MAC - Part B	05102 - MAC B	J - 05	Iowa
Wisconsin Physicians Service Insurance Corporation	MAC - Part A	05201 - MAC A	J - 05	Kansas
Wisconsin Physicians Service Insurance Corporation	MAC - Part B	05202 - MAC B	J - 05	Kansas
Wisconsin Physicians Service Insurance Corporation	MAC - Part A	05301 - MAC A	J - 05	Missouri - Entire State
Wisconsin Physicians Service Insurance Corporation	MAC - Part B	05302 - MAC B	J - 05	Missouri - Entire State
Wisconsin Physicians Service Insurance Corporation	MAC - Part A	05401 - MAC A	J - 05	Nebraska
Wisconsin Physicians Service Insurance Corporation	MAC - Part B	05402 - MAC B	J - 05	Nebraska
				Alaska
				Alabama
				Arkansas
				Arizona
				Connecticut
				Florida
				Georgia
				Iowa
				Idaho
				Illinois
				Indiana
				Kansas
				Kentucky
				Louisiana
				Massachusetts
				Maine
Wisconsin Physicians Service Insurance Corporation	MAC - Part A	05901 - MAC A	J - 05	Michigan
				Minnesota
				Missouri - Entire State
				Mississippi
				Montana
				North Carolina
				North Dakota
				Nebraska
				New Hampshire
				New Jersey
				Ohio
				Oregon
				Rhode Island
				South Carolina
				South Dakota
				Tennessee
				Utah

Contractor Name	Contract Type	Contract Number	Jurisdiction	State(s)
Wisconsin Physicians Service Insurance Corporation	MAC - Part A	08101 - MAC A	J - 08	Virginia Virgin Islands Vermont Washington Wisconsin West Virginia Wyoming
Wisconsin Physicians Service Insurance Corporation	MAC - Part B	08102 - MAC B	J - 08	Indiana
Wisconsin Physicians Service Insurance Corporation	MAC - Part A	08201 - MAC A	J - 08	Michigan
Wisconsin Physicians Service Insurance Corporation	MAC - Part B	08202 - MAC B	J - 08	Michigan
Back to Top				

LCD Information

Document Information

LCD ID: L36803
Original Effective Date: For services performed on or after 02/16/2017

LCD Title: MolDX: NSCLC, Comprehensive Genomic Profile Testing
Revision Effective Date: For services performed on or after 12/01/2017

Proposed LCD in Comment Period: N/A
Revision Ending Date: N/A

Source Proposed LCD: N/A
Retirement Date: N/A

AMA CPT / ADA CDT / AHA NUBC Copyright Statement: CPT only copyright 2002-2018 American Medical Association. All Rights Reserved. CPT is a registered trademark of the American Medical Association.
Notice Period Start Date: 01/01/2017

Applicable FARS/DFARS Apply to Government Use. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.
Notice Period End Date: 02/15/2017

The Code on Dental Procedures and Nomenclature (Code) is published in Current Dental Terminology (CDT). Copyright © American Dental Association. All rights reserved. CDT and CDT-2016 are trademarks of the American Dental Association.

UB-04 Manual. OFFICIAL UB-04 DATA SPECIFICATIONS MANUAL, 2014, is copyrighted by American Hospital Association ("AHA"), Chicago, Illinois. No portion of OFFICIAL UB-04 MANUAL may be reproduced, sorted in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior express, written consent of AHA." Health Forum reserves the right to change the copyright notice from time to time upon written notice to Company.

CMS National Coverage Policy Title XVIII of the Social Security Act, §1862(a)(1)(A) allows coverage and payment for only those services that are considered to be reasonable and necessary for the diagnosis or treatment of illness or injury or to improve the functioning of a malformed body member

Title XVIII of the Social Security Act, §1862(a)(1)(D) items and services related to research and experimentation

Title XVIII of the Social Security Act, §1833(e), prohibits Medicare payment for any claim which lack the necessary information to process the claim.

42 CFR 410.32(a) Diagnostic x-ray tests, diagnostic laboratory tests, and other diagnostic tests: Conditions

42CFR411.15(k)(1) Particular services excluded from coverage

CMS On-Line Manual, Publication 100-08, Medicare Program Integrity Manual, Chapter 3, §3.4.1.3, diagnosis code requirements

Coverage Guidance

Coverage Indications, Limitations, and/or Medical Necessity

This policy provides coverage for comprehensive somatic genomic profiling on tumor tissue-only (hereafter called CGP) for patients with metastatic non-small cell lung cancer (NSCLC) who are lifetime non-smokers, former light smokers or smokers who have not been tested for genomic alterations or who have tested negative for epidermal growth factor receptor (EGFR) mutations, EML4-ALK rearrangements, and ROS1 rearrangements. Alterations detected by CGP, if positive, may allow individuals to be treated with a targeted and/or immunotherapy for which they were previously ineligible. At the current time, CGP for germline (i.e. inheritable) mutations is not a Medicare benefit.

Summary of Evidence

It is estimated that more than 220,000 new cases of lung cancer will be diagnosed in the United States (US) this year. This represents roughly 13% of all new cancer diagnoses, and 27% of cancer deaths. Sadly, the estimated 5-year survival rate for all lung cancer patients is 17%, and only 4% for patients with metastatic disease.

The pathophysiological development of lung cancer is complicated, with several known genomic alterations found individually or in combination in many patients. These alterations may be due to toxic exposure or underlying genetic factors, and not all alterations have the same impact on disease development or prognosis. Some alterations appear to be integral to the transformation and ongoing growth of the tumor (driver mutations). Among the best studied in this class are point alterations and indels in EGFR and EML4-ALK translocations. EGFR mutated NSCLC is found in up to 15% of all lung cancers in the US. These mutations convey a more favorable prognosis and allow treatment with oral EGFR inhibitors such as erlotinib, gefitinib, or afatinib. Similarly, translocations of ALK and EML4 or other less common fusion partners occur in approximately 4% of all NSCLC patients and permit treatment with oral ALK-targeted inhibitors such as crizotinib and ceritinib.

The majority of NSCLC cases are diagnosed in patients with a smoking history. Across the spectrum of smoking history, lung cancers of different types develop albeit in varying proportions. Sequencing of tumor specimens in never-smokers has shown a higher mutation frequency of EGFR than in smokers, with some non-smoking ethnic groups such as Asian women having a much higher mutation frequency than their Caucasian counterparts. Similar results have been shown in patients whom ALK translocations are detected. For example, in one study involving never-smokers or light smokers with adenocarcinoma of the lung, 22% of patients' tumors harbored an

ALK. When EGFR mutation carriers were excluded, 33% of patients had an ALK translocation.

Currently, a variety of different techniques are used to test for these genomic alterations in tumor specimens including three FDA cleared/approved CDx tests for NSCLC to determine if a patient is a candidate for targeted therapy. For EGFR, there is the Cobas® EGFR Mutation Test for erlotinib and Therascreen EGFR RCQ PCR Kit for afatinib. For ALK, there is the Vysis ALK Break Apart FISH Probe Kit for crizotinib. These tests look at specific regions in the target gene to determine if the genomic alteration of interest is present.

In addition to these FDA-approved CDx test, there are a variety of laboratory-developed tests (LDTs) that are used to identify EGFR mutations and ALK translocations. These include bidirectional Sanger sequencing, direct DNA sequencing, hybridization sequencing, pyrosequencing and sequencing by denaturation to name a few. Some of these LDTs provide more extensive genetic analysis than their FDA-approved counterparts, but there are few head-to-head comparison studies demonstrating greater diagnostic accuracy or clinical utility of the various approaches.

For various reasons, CDx or LDT sequencing techniques may miss deleterious EGFR mutations and ALK translocations. For example, alterations may occur outside the sequenced region or involve complex alterations (e.g. insertions or deletions (indels), copy number alterations, or translocations) that are not detectable by the specific test. Newer techniques such as massively parallel sequencing, also known as next generation sequencing (NGS), offer the possibility of not only increased analytical sensitivity but also the ability to detect a broader range of genomic alterations than existing CDx and LDT techniques.

In a recent study by Drilon, NSCLC patients who tested negative for alterations in various target genes (including EGFR and ALK) were studied using CGP. Despite robust non-NGS (and CGP) testing using multiple techniques, CGP testing identified EGFR mutations in 7% more patients than had been identified by prior combined methodologies, and 6% more ALK translocations than by previous FISH analysis. Although some of the EGFR mutated malignancies found by NGS are less likely to respond to available EGFR tyrosine kinase inhibitors (TKIs) (e.g. exon 20 insertions), others such as complex double mutations and exon 18 mutations (which are typically undetectable with so-called "hotspot" panels), are likely to benefit from targeted therapy. CGP analysis was equally compelling for ALK translocations. In two patients, where FISH analysis was clearly negative, translocations were identified using CGP. These patients would likely benefit from treatment with crizotinib.

Although the study population is small, the significant number of potentially actionable genomic alterations that were missed by non-NGS methodologies is compelling, and demonstrates that CGP can identify a group of non-small cell lung cancer patients who are likely to benefit from targeted therapy. Since this pilot study, additional studies have indeed confirmed non-CGP approaches miss an estimated 17% and 30% of EGFR mutations and ALK translocations, respectively.

Comprehensive Genomic Profiling (CGP) Test Description:

CGP analysis is defined as a single test using tumor tissue only (i.e., not matched tumor and normal) that does not distinguish between somatic and germline alterations and can detect the following classes of alterations:

1. Base pair substitutions (including single nucleotide variants (SNVs))
2. Insertions and deletions (Indels; up to 70 bp)
3. Copy number variations (CNVs; including both amplifications (ploidy < 4 with copy number = 8) and homozygous deletions (ploidy < 4 with copy number = 0))
4. Translocations

Other non-NGS testing platforms may be considered if they can similarly detect all four classes of alterations with comparable test performance as CGP.

MoldX CGP Analysis Coverage

CGP analysis is covered only when the following conditions are met:

- Patient has been diagnosed with advanced (Stage IIIB or IV) NSCLC; **and**
- Patient has not been tested for genomic alterations **OR** previously tested negative for EGFR mutations, ALK rearrangements, or ROS1 rearrangements through non-CGP methods; **and**
- Testing is performed by a lab that satisfies the MolDx Contractor's Analytical Performance Specifications for Comprehensive Genomic Profiling (M00118,v1). Requires submission of specifications by MolDX or entity approved by MolDX.

Analysis of Evidence

(Rationale for Determination)

Level of Evidence: Limited
Strength of Evidence: Moderate
Weight of Evidence: Limited

This contractor recognizes that evidence for clinical utility for CGP in advanced NSCLC patients is promising at the current time. However, this contractor believes the clinical studies currently in progress will identify a number of patients who will test positive for an actionable *EGFR*, *ALK* or *ROS1* mutations or identify mutations despite prior negative test results in patients who will benefit from targeted therapy. In addition, CGP testing is likely to identify patients who will need referral/genetic counseling for hereditary cancer risk assessment when an *APC*, *MYH*, *MLH1*, *MSH2*, *MSH6*, *PMS2*, *EPCAM*, *POLE*, *POLD1*, *BMPR1A*, *PTEN* or *STK11* alteration is identified in the test panel. The identification of other pathogenic genes, although not meeting Medicare's reasonable and necessary criteria for coverage, will likely direct patients into clinical trials. Continued coverage for CGP test for NSCLC will be dependent on annual review of publications and/or presentations of clinical utility data demonstrating CGP for NSCLC improves patient outcomes and/or directs or changes selection of therapies to improve patient outcomes.

[Back to Top](#)

Coding Information

Bill Type Codes:

Contractors may specify Bill Types to help providers identify those Bill Types typically used to report this service. Absence of a Bill Type does not guarantee that the policy does not apply to that Bill Type. Complete absence of all Bill Types indicates that coverage is not influenced by Bill Type and the policy should be assumed to apply equally to all claims.

N/A

Revenue Codes:

Contractors may specify Revenue Codes to help providers identify those Revenue Codes typically used to report this service. In most instances Revenue Codes are purely advisory. Unless specified in the policy, services reported under other Revenue Codes are equally subject to this coverage determination. Complete absence of all Revenue Codes indicates that coverage is not influenced by Revenue Code and the policy should be assumed to apply equally to all Revenue Codes.

N/A

CPT/HCPCS Codes

Group 1 Paragraph: N/A

Group 1 Codes:

81445 TARGETED GENOMIC SEQUENCE ANALYSIS PANEL, SOLID ORGAN NEOPLASM, DNA ANALYSIS, AND RNA ANALYSIS WHEN PERFORMED, 5-50 GENES (EG, ALK, BRAF, CDKN2A, EGFR, ERBB2, KIT, KRAS, NRAS, MET, PDGFRA, PDGFRB, PGR, PIK3CA, PTEN, RET), INTERROGATION FOR SEQUENCE VARIANTS AND COPY NUMBER VARIANTS OR REARRANGEMENTS, IF PERFORMED

81455 TARGETED GENOMIC SEQUENCE ANALYSIS PANEL, SOLID ORGAN OR HEMATOLYMPHOID NEOPLASM, DNA ANALYSIS, AND RNA ANALYSIS WHEN PERFORMED, 51 OR GREATER GENES (EG, ALK, BRAF, CDKN2A, CEBPA, DNMT3A, EGFR, ERBB2, EZH2, FLT3, IDH1, IDH2, JAK2, KIT, KRAS, MLL, NPM1, NRAS, MET, NOTCH1, PDGFRA, PDGFRB, PGR, PIK3CA, PTEN, RET), INTERROGATION FOR SEQUENCE VARIANTS AND COPY NUMBER VARIANTS OR REARRANGEMENTS, IF PERFORMED

81479 UNLISTED MOLECULAR PATHOLOGY PROCEDURE

ICD-10 Codes that Support Medical Necessity

Group 1 Paragraph: N/A

Group 1 Codes:

ICD-10 Codes

Description

ICD-10 Codes	Description
C33	Malignant neoplasm of trachea
C34.00	Malignant neoplasm of unspecified main bronchus
C34.01	Malignant neoplasm of right main bronchus
C34.02	Malignant neoplasm of left main bronchus
C34.10	Malignant neoplasm of upper lobe, unspecified bronchus or lung
C34.11	Malignant neoplasm of upper lobe, right bronchus or lung
C34.12	Malignant neoplasm of upper lobe, left bronchus or lung
C34.2	Malignant neoplasm of middle lobe, bronchus or lung
C34.30	Malignant neoplasm of lower lobe, unspecified bronchus or lung
C34.31	Malignant neoplasm of lower lobe, right bronchus or lung
C34.32	Malignant neoplasm of lower lobe, left bronchus or lung
C34.80	Malignant neoplasm of overlapping sites of unspecified bronchus and lung
C34.81	Malignant neoplasm of overlapping sites of right bronchus and lung
C34.82	Malignant neoplasm of overlapping sites of left bronchus and lung
C34.90	Malignant neoplasm of unspecified part of unspecified bronchus or lung
C34.91	Malignant neoplasm of unspecified part of right bronchus or lung
C34.92	Malignant neoplasm of unspecified part of left bronchus or lung

ICD-10 Codes that DO NOT Support Medical Necessity

Group 1 Paragraph: NA

Group 1 Codes: N/A

ICD-10 Additional Information [Back to Top](#)

General Information

Associated Information

Documentation Requirements

The patient's medical record must contain documentation that fully supports the medical necessity for services included within this LCD. (See "Coverage Indications, Limitations, and/or Medical Necessity") This documentation includes, but is not limited to, relevant medical history, physical examination, and results of pertinent diagnostic tests or procedures.

Documentation supporting the medical necessity should be legible, maintained in the patient's medical record, and must be made available to the WPS GHA MAC upon request.

Sources of Information

Bibliography

1. Drilon AE, et al. Broad, hybrid capture-based next-generation sequencing identifies actionable genomic alterations in "driver-negative" lung adenocarcinomas) Clin Cancer Res 2015; Jan 7. pii: clincanres.2683.2014. [Epub ahead of print]
2. Frampton GM, Fichtenholtz A, Otto GA, et al. Development and validation of a clinical cancer genomic profiling test based on massively parallel DNA sequencing. Nat Biotechnol 2013; 31:1023-31. doi:10.1038/nbt.2696
3. Govindan R, Ding L, Griffith M, et al. Genomic landscape of non-small cell lung cancer in smokers and never-smokers. Cell 2012; 150(6):1121-34. doi: 10.1016/j.cell.2012.08.024.
4. <http://www.fda.gov/MedicalDevices/ProductsandMedicalProcedures/InVitroDiagnostics/ucm301431.htm> Accessed 2014.09.27
5. <http://seer.cancer.gov/statfacts/html/lungb.html> September 15, 2014.

6. McShane LM, Cavenagh MM, Lively TG, et al. Criteria for the use of omics-based predictors in clinical trials. *Nature* 2014; 502:317-20. doi:10.1038/nature12564
7. Meyerson M, Gabriel S, Getz G. Advances in understanding cancer genomes through second-generation sequencing. *Nat Rev Genet* 2010; 11(10):685-96. doi: 10.1038/nrg2841
8. Paik PK, Arcila ME, Fara M, et al. Clinical characteristics of patients with lung adenocarcinomas harboring BRAF mutations. *J Clin Oncol* 2011; 29(15):2046-51. doi: 10.1200/JCO.2010.33.1280.
9. Rudin CM, Avila-Tang E, Harris CC, et al. Lung cancer in never smokers: molecular profiles and therapeutic implications. *Clin Cancer Res*. 2009; 15(18):5646-61. doi: 10.1158/1078-0432.CCR-09-0377
10. Shaw AT, Yeap BY, Mino-Kenudson M, et al. Clinical features and outcome of patients with non-small-cell lung cancer who harbor EML4-ALK. *J Clin Oncol*. 2009; 27(26):4247-53. doi: 10.1200/JCO.2009.22.6993
11. Shendure J, Ji H: Next-generation DNA sequencing. *Nat Biotechnol* 2008; 26:1135-45.
12. Shi Y, Au JS, Thongprasert S, et al. A prospective, molecular epidemiology study of EGFR mutations in Asian patients with advanced non-small-cell lung cancer of adenocarcinoma histology (PIONEER). *J Thorac Oncol*. 2014;9(2):154-62. doi: 10.1097/JTO.0000000000000033.
13. Subramanian J, Govindan R. Molecular genetics of lung cancer in people who have never smoked. *Lancet Oncol*. 2008; 9(7):676-82. doi:10.1016/S1470-2045(08)70174-8
14. Szymanowska-Narloch A, Jassem E, Skrzypski M, et al. Molecular profiles of non-small cell lung cancers in cigarette smoking and never-smoking patients. *Adv Med Sci*. 2013; 58(2):196-206. doi: 10.2478/ams-2013-0025
15. Yano T, Miura N, Takenaka T, et al. Never-smoking non-small cell lung cancer as a separate entity: clinicopathologic features and survival. *Cancer*. 2008; 113(5):1012-8. DOI: 10.1002/cncr.23679
16. Schrock AB, Frampton GM, Herndon D, et al. CGP identifies frequent drug sensitive EGFR exon 19 deletions in NSCLC not identified by prior molecular testing. *Clin Cancer Res* 2016; 22(13): 3281-5. doi:10.1158/1078-0432.CCR-15-1668.
17. Ali SM, Hensing T, Schrock AB, et al. Comprehensive genomic profiling identifies a subset of crizotinib responsive ALK-rearranged non-small cell lung cancer not detected by fluorescence in situ hybridization. *The Oncologist* 2016 Jun; 21(6): 762-70. doi: 10.1634/theoncologist.2015-0497.

[Back to Top](#)

Revision History Information

Revision History Date	Revision History Number	Revision History Explanation	Reason(s) for Change
12/01/2017	R2	12/01/2017: Added lifetime non-smokers, former light smokers or smokers and immunotherapy to the first paragraph. Added analysis of evidence information. At this time, 21st Century Cures Act will apply to new and revised LCDs that restrict coverage which requires comment and notice. This revision is not a restriction on the coverage determination; and, therefore not all the fields included on the LCD are applicable as noted in this policy. Added analysis of evidence information. Removed CDD from title. Annual review completed 11/09/2017 & removed CDD from title.	• Other
02/16/2017	R1	02/01/2017- removed registry requirements for MoIDx CGP analysis & added clinical utility for CGP in advanced NSCLC patients paragraph.	• Other

[Back to Top](#)

Associated Documents

Attachments N/A

Related Local Coverage Documents Article(s) [A55402 - Response to Comments: MoIDx-CDD: NSCLC, Comprehensive Genomic Profile Testing \(L36803\)](#)

Related National Coverage Documents N/A

Public Version(s) Updated on 11/22/2017 with effective dates 12/01/2017 - N/A [Updated on 01/17/2017 with effective dates 02/16/2017 - 11/30/2017](#) [Updated on 12/21/2016 with effective dates 02/16/2017 - N/A](#) [Back to Top](#)

Keywords

N/A Read the [LCD Disclaimer](#) [Back to Top](#)